



Wireless solution for critical communication

**3M™ PELTOR™WS™
ProTac XPI**

Equipped with level dependent function and Bluetooth® Multipoint connectivity. FLX2 accessory jack for connection of an extra non-Bluetooth enabled device.



PELTOR™
Protection & Communication

WS Protac XPI Headset Range – Industrial Wireless Connectivity



The 3M™ PELTOR™ WS™ ProTac XPI Headset is equipped with Bluetooth® Multipoint connectivity for simultaneous seamless connection to up to two external Bluetooth enabled devices.

Level dependent function for active listening to help improve your situational awareness and ability to communicate with people standing close by without compromising your hearing protection.

Bright yellow color for enhanced visibility and IP68 classified noise cancelling

Robust boom microphone (IP68) with optimized performance in high noise areas contribute to the reliability of the 6th generation of this Bluetooth® headset.

Key Features and Benefits



Wireless connection to your mobile phone or communication radio



Be aware of your surroundings without removing your hearing protection



Eliminates external ambient noise and enhances voice transmission



Easy To Use

- Improved Menu system for easy handling.
- Reduced power consumption increases your average time before charging and prolong working hours with less interruptions due to low batteries
- Verbalized Low Battery warning so you can plan your battery charging/changing in between critical operations.

Bluetooth® Technology

- Utilize Bluetooth connectivity for simple and reliable connectivity to your devices for critical communication.
- Multipoint, for simultaneous, seamless connection to up to two external devices using Bluetooth technology.

Situational awareness with level-dependent function

- The level-dependent function helps you to hear important sounds from the surroundings and to communicate with people standing close by in a noisy environment, without compromising your hearing protection.

PTL, Push-To-Listen

- When your level dependent function is turned down or even turned off you can use the PTL, Push-To-Listen which activate your ambient listening at occasions when you need enhanced situational awareness. A simple push at any button reset the ambient listening to your preferred setting.

Key Features and Benefits



Bluetooth® Connectivity

Multipoint, for simultaneous, seamless connection to external devices using Bluetooth Technology.

FLX2 External Connection Jack

FLX2 accessory system for an extra, simple and reliable cable connection of a non-Bluetooth enabled 2-way radio.

Noise Cancelling IP68 classified Speech Microphone

Helps provide communication in noisy and demanding environments.

Stainless Steel Wire Headband

Wire headband offers comfortable pressure during prolonged usage.

Hearing Protection

Noise attenuating headset helps provide hearing protection in environments with potentially hazardous noise.

Level-dependent Technology

For ambient listening. Helps improve situational awareness and communication.

Voice Operated Transmission

Voice operated transmission (VOX) for hands free operation in high noise environments.

WS Protac XPI Headset Range



Model	Description	3M ID
MT15H7AWS6	3M™ PELTOR™ WS™ ProTac XPI Headset, headband	UU010123527
MT15H7P3EWS6	3M™ PELTOR™ WS™ ProTac XPI Headset, helmet attachment	UU010123535
MT15H7AWS6-111	3M™ PELTOR™ WS™ WS ProTac XPI FLX2 Headset, headband	UU010123543
MT15H7BWS6-111	3M™ PELTOR™ WS™ WS ProTac XPI FLX2 Headset, neckband	UU010123568
MT15H7P3EWS6-111	3M™ PELTOR™ WS™ WS ProTac XPI FLX2 Headset, helmet attachment	UU010123550

NOTE: The models ending with -111 are compatible with the FLX2 flex leads to connect directly to compatible 2 way radios. Please refer to datasheet for compatibility listing

WS Protac XPI (TransitionChart)

MT15H7AWS5	XH001680012	MT15H7AWS5 WS PROTAC XP HEADSET
MT15H7AWS5-01GB	XH001679642	MT15H7AWS5-01GBWS PROTAC HEADSET, GROUNDMECH
MT15H7AWS5-77	XH001679998	MT15H7AWS5-77WS PROTAC XP FLEX
MT15H7BWS5	XH001680335	MT15H7BWS5 WS PROTAC XP NECK BAND
MT15H7BWS5-77	XH001680343	MT15H7BWS5-77WS PROTAC XPP, NECK BAND, FLEX
MT15H7P3EWS5	XH001680004	MT15H7P3EWS5 WS5 PROTAC HELMET
MT15H7P3EWS5-77	XH001680269	MT15H7P3EWS5 77WS PROTAC XP FLEX

MT53H7AWS5	XH001680053	MT53H7AWS5 WS HEADSET XP
MT53H7BWS5	XH001680061	WS HEADSET XP, NECK BAND
MT53H7P3EWS5	XH001680046	MT53H7P3EWS5 3M PELTOR WS HDST XP 1/CASE
MT7H7AWS5-01GB	XH001679634	MT7H7AWS5-01GBWS XP GROUND MECH WS-HEADSET HI-VIZ

MT15H7AWS6	UU010123527	MT15H7AWS6 WS PROTAC XPI HEADBAND
MT15H7AWS6-111	UU010123543	MT15H7AWS6-111WSPROTAC XPI FLX2 HEADBAND HEADSET
MT15H7AWS6-111	UU010123543	MT15H7AWS6-111WSPROTAC XPI FLX2 HEADB.
MT15H7BWS6-111	UU010123568	MT15H7BWS6-111WS PROTAC XPI FLX2 NECKB.
MT15H7BWS6-111	UU010123568	MT15H7BWS6-111WS PROTAC XPI FLX2 NECKB.
MT15H7P3EWS6	UU010123535	MT15H7P3EWS6 WS PROTAC XPI HELMET ATTACH
MT15H7P3EWS6-111	UU010123550	MT15H7P3EWS6-111WSPROTAC XPI FLX2 HELM

MT15H7AWS6	UU010123527	MT15H7AWS6 WS PROTAC XPI HEADBAND
MT15H7BWS6-111	UU010123568	MT15H7BWS6-111WS PROTAC XPI FLX2 NECKB.
MT15H7P3EWS6	UU010123535	MT15H7P3EWS6 WS PROTAC XPI HELMET ATTACH
MT15H7AWS6	UU010123527	MT15H7AWS6 WS PROTAC XPI HEADBAND

WS Protac XPI Headset Range- Connections

